

SAFETY DATA SHEET

Issue Date: June 2025 Review Date: June 2030

COPPER CHELATE

Section 1. Identification	on of the material and the supplier
Product: Product Use: Restriction of Use:	Copper Chelate Liquid trace mineral supplement for dairy cows. Refer to Section 15
New Zealand Supplier: Address:	Deosan Manufacturing Ltd 20 Seddon Street Waharoa New Zealand
Email: Telephone: 24 Hour Emergency Contact: Emergency No:	info@deosan.co.nz 0800 336 726 (0800 DEOSAN) / +64 7 888 5628 0800 243 622 (CHEMCALL) 0800 764 766 (National Poison Centre)
Date of SDS Preparation:	8 April 2025
Section 2. Hazards Ide	entification

This substance is hazardous according to the EPA Hazardous Substances (Classification) Notice 2020

EPA Approval No: Animal Nutritional and Animal Care Products – HSR002521



Signal Word: Warning

GHS Classification and Category	Hazard Code	Hazard Statement
Skin irritation Cat. 2	H315	Causes skin irritation.
Eye irritation Cat. 2	H319	Causes serious eye irritation.
Skin sensitisation Cat. 1	H317	May cause an allergic skin reaction.
Specific target organ toxicity – repeated exposure Cat. 2	H373	May cause damage to organs through prolonged or repeated exposure.

Prevention Code	Prevention Statement
P103	Read carefully and follow all instructions.
P260	Do not breathe dust, fumes, gas, mist, vapours or spray.
P261	Avoid breathing fumes, vapours or spray.
P264	Wash hands thoroughly after handling.
P272	Contaminated work clothing should not be allowed out of the workplace.
P280	Wear protective clothing as detailed in SDS Section 8.

Response Code	Response Statement
P314	Get medical advice/attention if you feel unwell.
P302 + P352	IF ON SKIN: Wash with plenty of water.
P305 +	IF IN EYES: Rinse cautiously with water for several minutes. Remove
P351+P338	contact lenses, if present and easy to do. Continue rinsing.
P333 + P313	If skin irritation or rash occurs: Get medical advice/attention.
P337 + P313	If eye irritation persists: Get medical advice/attention.
P362+P364	Take off contaminated clothing and wash before reuse.

Disposal Code D	Disposal Statement
P501 Di	Dispose of according to Local Regulations or Authorities

Section 3. Composition / Information on Hazardous Ingredients

Ingredients	CAS NUMBER.	Wt%
Copper Chelate	14025-15-1	<40
Non-Hazardous ingredients		To 100%

Section 4. First Aid Measures

Routes of Exposure:

If in Eyes	Rinse cautiously with water for 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice.		
If on Skin	Take off contaminated clothing and wash before reuse. Wash with plenty of soap and water. If skin irritation or rash occurs: get medical advice/attention.		
If Swallowed	Do not induce vomiting. Wash out mouth thoroughly with water. Drink large amounts of water. Never give anything to the mouth of an unconscious person. Seek medical attention if needed.		
If Inhaled	Remove person to fresh air. Remove contaminated clothing and loosen remaining clothing. Allow person to assume most comfortable position and keep warm. Keep at rest until fully recovered. Apply artificial respiration if not breathing. Get medical advice if breathing becomes difficult.		
Most important symptoms and effects, both acute and delayed Symptoms:			
Ingestion: Inhalation: Skin: Eye: Chronic:	Not applicable. Not applicable. Causes skin irritation. May cause an allergic skin reaction. Causes serious eye irritation. May cause damage to organs through prolonged or repeated exposure.		

Section 5. Fire Fig

Fire Fighting Measures

Hazard Type	Non-Flammable
Hazards from combustion	None known.
products	
Suitable Extinguishing media	In case of fire, use appropriate extinguishing media most suitable for surrounding fire conditions: water, water spray, dry powder, foam, carbon dioxide (CO2).
meula	

Fire-fighters should wear full protective clothing suitable for chemical		
hazards with self-contained breathing apparatus. The substance must		
be contained and prevented from entering drains and water courses in		
all circumstances. Alert Fire Brigade and tell them location and nature		
of hazard. Clear fire area of all non-emergency personnel.		
Equipment should be thoroughly decontaminated after use.		
None Allocated		

For emergency responders:

Wear protective equipment detailed in Section 8. Keep unnecessary people away from the hazardous area.

Environmental precautions:

Prevent, by any means available, spillage from entering drains or water course.

Methods and material for containment and cleaning up:

Stop leak if safe to do so. Contain spill with sand, earth or vermiculite. Collect recoverable product into labelled containers for recycling.

Wash area and prevent runoff into drains. If contamination of drains or waterways occurs, advise emergency services. Dispose of as per Section 13.

Section 7. Handling and Storage

Precautions for Handling:

- Read carefully and follow all instructions.
- Do not breathe fumes, gas, mist, vapours or spray.
- Wash hands thoroughly after handling.
- Contaminated work clothing should not be allowed out of the workplace.
- Wear protective clothing as detailed in SDS Section 8. Contact lenses should not be worn when working with this chemical.
- Operators should be trained in procedures for safe use of this material.
- When handling, DO NOT eat, drink, or smoke.
- Keep containers securely sealed when not in use.
- Avoid physical damage to containers.

Precautions for Storage:

- Store away from incompatible materials listed in Section 10.
- Store in original containers.
- Keep containers securely sealed to protect from moisture contamination.
- Store in a cool, dry, well-ventilated area.
- Store away from foodstuff containers.
- Protect containers against physical damage and check regularly for leaks.
- Suitable Packaging: Corrosive resistant Plastic (HDPE) drum

Section 8

Exposure Controls / Personal Protection

WORKPLACE EXPOSURE STANDARDS (provided for guidance only)

	TWA	STEL
Substance	ppm mg/m ³	ppm mg/m ³

None of the components have assigned exposure limits.

Workplace Exposure Standard – Time Weighted Average (WES-TWA). The time-weighted average exposure standard designed to protect the worker from the effects of long-term exposure. Workplace Exposure Standard – Short-Term Exposure Limit (WESSTEL). The 15-minute average exposure standard. Applies to any 15- Minute period in the working day and is designed to protect the worker against adverse effects of irritation, chronic or irreversible tissue change, or narcosis that may increase the likelihood of accidents. The WES-STEL is not an alternative to the WES-TWA; both the short-term and time-weighted average exposures apply. Workplace Exposure Standards and Biological Exposure Indices Feb 2025 15TH EDITION.

Engineering Controls No specific engineering controls are needed.

Personal Protection Equipment



Eyes	Use approved chemical safety goggles and a full-face shield. Refer to Personal eye protection Part 1: Eye and face protectors for occupational applications, Australian/New Zealand Standard: AS/NZS 1337.1:2010. Ensure that there is ready access to eye wash unit.
Skin	Wear impervious protective clothing, including chemical resistant boots, gloves, apron or overalls as appropriate to prevent skin contact. Refer to AS/NZS 2161.1:2016 Occupational Protective Gloves – Selection, use and maintenance; AS/NZS 2210.1:2010 for Safety footwear; AS/NZS 4501.1:2008 Occupational protective clothing – Guidelines on the selection, use, care and maintenance of protective clothing.
Respiratory	Not required.

Physical and Chemical Properties Section 9

Appearance	Liquid
Colour	Reddish
Odour	Odourless
Odour Threshold	Not available
рН	4.5 - 6.5
Boiling Point	~100°C
Melting Point	~0°C
Freezing Point	Not available
Flash Point	Not available
Flammability	Non-flammable
Upper and Lower	Not available
Explosive Limits	
Vapour Pressure	Not available
Vapour Density	Not available
Specific Gravity	1.16 – 1.19 g/ml
Water Solubility	Miscible
Partition Coefficient:	Not available
Auto-ignition	Not available
Temperature	
Decomposition	Not available
Temperature	
Kinematic Viscosity	Not available
Particle Characteristics	Not available

Section 10. Stability and Reactivity

Stability of Substance	Product is stable under normal conditions of use, storage, and temperature.
Possibility of hazardous reactions	None known.
Conditions to Avoid	Avoid excessive heat, direct sunlight, moisture, high temperatures. Keep containers dry and tightly closed to avoid moisture absorption and contamination.
Incompatible Materials	None known.
Hazardous Decomposition Products	None known.

Section 11 To	xicological Information
---------------	-------------------------

Acute Effects:

Swallowed	This product is not classified as acutely toxic.
Dermal	This product is not classified as acutely toxic.
Inhalation	This product is not classified as acutely toxic.
Еуе	Causes serious eye irritation. Prolonged contact causing inflammation.
Skin	Causes skin irritation. May cause an allergic skin reaction.

Chronic Effects:

Carcinogenicity	This product is not classified as carcinogenic.
Reproductive	This product is not classified as toxic for reproduction.
Toxicity	
Germ Cell	This product is not classified as mutagenic.
Mutagenicity	
Aspiration	This product is not classified as Asp Tox.
STOT/SE	This product is not classified as STOT SE.
STOT/RE	May cause damage to organs through prolonged or repeated
	exposure.

Section 12. Ecotoxicological Information

The product is not considered harmful to aquatic organisms nor to cause long-term adverse effects in the environment.

Product:	
Persistence and degradability	No data available
Bioaccumulation	No data available
Mobility	Completely soluble.
Other adverse effects	No data available

Section 13. Disposal Considerations

PRODUCT

Return unwanted product to the manufacturer for disposal or contact the Regional Council for local chemical disposal area details.

Treatment in a biological wastewater treatment system with prior approval and arrangement is also permissible providing that the substance is rendered non-hazardous and does not pose any adverse effects to human health or the environment.

Alternatively consult an approved Waste Management company for disposal options. PACKAGING

NZ: Triple-rinse empty containers. Contact AgRecovery to arrange for pick-up or drop-off at a collection depot.

Overseas: Triple-rinse empty containers. Dispose of containers in accordance with guidance / regulations from relevant local authorities.

Observe all label safeguards until containers are cleaned and destroyed.



Precautions or methods to avoid: None known.

Section 14 Transport Information

This product is NOT classified as a Dangerous Good for transport in NZ ; NZS 5433:2020 and SNZ HB 5433:2021

Section 15 Regulatory Information

This substance is classified hazardous according to the EPA Hazardous Substances (Classification) Notice 2020

EPA Approval Code: Animal Nutritional and Animal Care Products – HSR002521

HSW (HS) Regulations 2017 and EPA Notices	Trigger Quantity
Certified Handler	Not required
Location Certificate	Not required
Tracking Trigger Quantities	Not required
Signage Trigger Quantities	Not required
Emergency Response Plan	1000L
Secondary Containment	1000L
Restriction of Use	Only use for the intended purpose.

Section 16	Other Information
Section IO	

Glossary	
Cat	Category
EC ₅₀	Median effective concentration.
EEL	Environmental Exposure Limit.
EPA	Environmental Protection Authority
HSNO	Hazardous Substances and New Organisms.
HSW	Health and Safety at Work.
LC ₅₀	Lethal concentration that will kill 50% of the test organisms
	inhaling or ingesting it.
LD50	Lethal dose to kill 50% of test animals/organisms.
LEL	Lower explosive level.
OSHA	American Occupational Safety and Health Administration.
TEL	Tolerable Exposure Limit.
TLV	Threshold Limit Value-an exposure limit set by responsible
	authority.
UEL	Upper Explosive Level
WES	Workplace Exposure Limit

References:

- 1. EPA Hazardous Substances (Safety Data Sheets) Notice 2017
- 2. Workplace Exposure Standards and Biological Exposure Indices Feb 2025 15th edition.
- 3. Assigning a hazardous substance to a HSNO Approval (Aug 2013).
- 4. Transport of Dangerous goods on land NZS 5433:2020
- 5. HSW (Hazardous Substances) Regulations 2017

Disclaimer

This document has been prepared by TCC (NZ) Ltd and serves as the suppliers Safety Data Sheet ('SDS'). It is based on information concerning the product which has been provided to TCC (NZ) Ltd or obtained from third party sources and is believed to represent the current state of knowledge as to the appropriate safety and handling precautions for the product at the time of issue. Further clarification regarding any aspect of the product should be obtained directly from the manufacturer. While TCC (NZ) have taken all due care to include accurate and up-to-date information in this SDS, it does not provide any warranty as to accuracy or completeness. As far as lawfully possible, TCC (NZ) Ltd accept no liability for any loss, injury or damage (including consequential loss) which may be suffered or incurred by any person as a consequence of their reliance on the information contained in this SDS

The information herein is given in good faith, but no warranty, express or implied is made.

Please contact the New Zealand distributor, if further information is required.

Issue Date: 8 April 2025 Review Date: 8 April 2030